

Code:150-4



Golden  
World  
Trading  
Group

[www.GoldenWTG.org](http://www.GoldenWTG.org)

# SteelTailor™

## Portable CNC Cutting Machines

**F4**  
Friendly 4

### SteelTailor Power Series



- **64M Memory Supports Nesting!**
- **User Friendly!**
- **Cutting Software for free!**
- **72h Pre-Delivery Test!**
- **Professional Customer Service, 24h/7d!**

- Support Flame & Plasma
- Affordable & Easy to Use
- Portable & Lightweight
- Precision: 0.2mm
- User's Manual in English, Spanish, Russian
- Perfect Anti-Plasma Noise Plan
- Extendable Frame!

Input Power	180W
Total Machine Weight	70.5kg
Cutting Thickness(Flame) (Plasma)	5-150mm Subject to plasma source
Effective Cutting Range	Standard size: X:1200mm,Y:2000mm, if requested, it could be customized with width 1.5m/1.8m, length 3m/4m/5m/...15m(max)
Modes of Cutting	Flame or Plasma
Combustive Gas	Oxygen
Combustive Gas Pressure	Max: 1.5MPa
Cutting Speed	0-600mm/min(Flame), 0-6000mm/min(Plasma)
Electric Power	220V AC/110V AC, 60/50Hz
Torch Height Control	Automatic
Cutting Software	IBE cncCUT Basic version FastCAM Standard version (optional) MTC Basic version (optional)

**Distributed By:**



ISO9001:2000  
ISO14000

PC



Memory Key



## SteelTailor™ Power Series Portable Cutting Machines

SteelTailor Power is a new series of SteelTailor family portable CNC cutting machines. It is an innovative version of portable CNC cutting machines. Within 10 years experience of our Steeltailor portable CNC cutting machines, this new version integrated many new features to better meet your needs.

### Powerful CNC Controller


SteelTailor Power Series integrates a completely new version of CNC controller with many new features:

- 64M Memory for Users' Programs
- Built-in Library of Commonly Used Figures
- Break-point & Power-cut Restoration
- Returning to Reference Point
- Kerf compensation
- Revolving
- Mirror image



### Advanced Stability

X-axis drive mode is optimized for SteelTailor Power. The introduction of guiding rail in the x-axis of the machine, enables a more stable movement of the crossbeam and avoids the cutting head from declining.




### Guiding System of the Cross Beam



### Bigger Cutting Area

SteelTailor Power cuts as wide as 1.8m meters ( 5.9ft ), as long as 15 meters (48ft)



### Easier Maintenance




Check up and maintenance of the controller can be done simply by removing the top cover

### Motor Enable/Disable Button



This feature allows the user to enable or disable the motors while power is on, guarantee the user's safety

### SteelTailor Power Standard Package



### Support Nesting



### So Portable



### SteelTailor.

Cannes Industrial Park, No 18 Shuang Qiao Dong Lu  
Chao Yang District, Beijing 100121, China

Tel: +86 10 51662600

Fax: +86 10 85370386

E-mail: info@steeltailor.com

Web: www.SteelTailor.com