





Item Image	Item No.:	DESCRIPTIONS	N.W/G.W (kgs)	Product Meas. WxHxD(mm)	Packing Meas. WxHxD(mm)	FCL Quantity 20'/40'GP/40'HQ
------------	-----------	--------------	---------------	-------------------------	-------------------------	------------------------------


Thermoelectric Hotel Minibar Refrigerator (Eco-Friendly Mini Bar)

	BC-17A	<p>Voltage: AC 110V / 220V</p> <p>Volume: 17 litres</p> <p>Input power: 50W (0.5KWh/24H 10°C)</p> <p>Refrigeration temp: 6.5 – 15°C</p> <p>With temp. adjuster</p> <p>With light inside</p> <p>Color: Black/White</p>	8/9.7	385x352x415	423x373x454	395/820/965pcs
	BC-42B	<p>Voltage: AC 110V / 220V</p> <p>Volume: 42litres</p> <p>Input power:70W (0.6KWh/24H 10°C)</p> <p>Refrigeration temp: 6.5 – 15°C</p> <p>With temp. adjuster</p> <p>With light inside</p> <p>Color: White / Black</p>	10.2/11.5	422x500x435	462x539x460	258 / 518/648PCS
	BC-48C	<p>Voltage: AC 110V / 220V</p> <p>Volume: 48litres</p> <p>Input power:70W (0.6KWh/24H 10°C)</p> <p>Refrigeration temp: 6.5 – 15°C</p> <p>With temp. adjuster</p> <p>With light inside</p> <p>Color: White / Black</p>	12.5/14.6	435x510x480	465x545x515	220/460/559pcs
	BC-50B	<p>Voltage: AC 110V / 220V</p> <p>Volume: 50 litres</p> <p>Input power:70W (0.6KWh/24H 10°C)</p> <p>Refrigeration temp: 6.5 – 15°C</p> <p>With temp. adjuster</p> <p>With light inside</p> <p>Color: White / Black</p>	12.4/14.4	500x510x490	547x535x460	190/416/530pcs

Item Image	Item No.:	DESCRIPTIONS	N.W/G.W (kgs)	Product Meas. WxHxD(mm)	Packing Meas. WxHxD(mm)	FCL Quantity 20'/40'GP/40'HQ
		Refrigeration temp: 6.5 – 18°C With temp. adjuster With light inside Color: Black/White				
	BC-65A	Voltage: AC 110V / 220V Volume: 65 litres Input power:70W (0.6KWh/24H 10°C) Refrigeration temp: 6.5 – 15°C With temp. adjuster With light inside Color: Black/White	16.7/19.5	460x735x545	515x775x575	132/276/310PCS

Semiconductor Mini Bar with glass door

	JC-33A	Voltage: AC 110V / 220V Volume: 33 litres Input power: 70W Refrigeration temp: 12 – 18°C With temp. adjuster inside With light inside Recessed handle Color: Black	12.1/13.8	335x480x503	381x498x526	290/590/668pcs
	JC-46B	Cooling system: thermoelectric cooling Volume:46 litres Refrigeration temp: 12– 18°C With temp. adjuster inside With light inside Recessed handle Color: Black	15.5/17.3	435x510x480	461x535x509	176/384/456pcs

Item Image	Item No.:	DESCRIPTIONS	N.W/G.W (kgs)	Product Meas. WxHxD(mm)	Packing Meas. WxHxD(mm)	FCL Quantity 20'/40'GP/40'HQ
	JC-48A	<p>Cooling system: thermoelectric cooling</p> <p>Volume:48 litres</p> <p>Input power: 70W</p> <p>Refrigeration temp: 12 – 18℃</p> <p>With temp. adjuster inside</p> <p>With light inside</p> <p>Recessed handle</p> <p>Color: Black</p>	16.0/17.6	355x645x500	411x670x556	168/342/456PCS