


Code: 121-4



Golden
World
Trading
Group

www.GoldenWTG.org



Style: 9819
 Collection: EIR
 Construction: Laminate
 Species: Oak
 Thickness: 8mm to 15mm
 Plank Width: 3 1/2" , 5" to 10" (90mm to 239mm)
 Plank Length: 47.83' ' (1215mm)
 Surface Texture: Registered in Embossed
 Edge profile: Micro-bevel painting

98191 Legacy Oak



98192 Makko Oak



98193 Chocolate Oak



Style: 9818
 Collection: EIR
 Construction: Laminate
 Species: Oak
 Thickness: 8mm to 15mm
 Plank Width: 3 1/2" , 5" to 10" (90mm to 239mm)
 Plank Length: 47.83' ' (1215mm)
 Surface Texture: Registered in Embossed
 Edge profile: Micro-bevel painting

98181 Harvest Oak



98182 Cuba Oak



98183 Grey Oak



Style: 98883
 Collection: EIR
 Construction: Laminate
 Species: Oak
 Thickness: 8mm to 15mm
 Plank Width: 3 1/2" , 5" to 10"
 (90mm, 126mm to 239mm)
 Plank Length: 47.83' ' (1215mm)
 Surface Texture: Registered in Embossed
 Edge profile: Micro-bevel painting



Style: 9863
 Collection: EIR
 Construction: Laminate
 Species: Oak
 Thickness: 8mm to 15mm
 Plank Width: 3 1/2" , 5" to 10"
 (90mm, 126mm to 239mm)
 Plank Length: 47.83' (1215mm)
 Surface Texture: Registered in Embossed
 Edge profile: Micro-bevel painting



98883
 EIR collection


98831 Butterscotch Oak



98832 Southwark Oak



98833 Mocha Oak




98834 Espresso Oak



9863
 EIR collection

98631 Bleached Oak



98633 Valcano Oak



98635 Carbonized Oak

98B256
8323
EIR sparkling



EIR sparkling

The new EIR Sparkling Technology enhances the True to Nature by giving the wood grains a radiant luster. The Sparkling Technology is a combination of decor, surface structure and a new & revolutionary technique that consists of giving the wood grains a vivid and radiant luster on a matt surface. This technology prints chrome on the wood grains, making them shiny. The result is a magnificent matt-sparkling finish.

Style: 98B256 / 8323
Collection: EIR Sparkling
Construction: Laminate
Species: Oak
Thickness: 8mm to 15mm
Plank Width: 5" (126mm)
Plank Length: 47.83" (1215mm)
Surface Texture: EIR texture with Sparkling wood grain
Edge profile: Micro-bevel painting



982506

982530

982516

982515

Style: 9811
Collection: EIR sparkling
Construction: Laminate
Species: Oak
Thickness: 8mm to 15mm
Plank Width: 5" in (126mm)
Plank Length: 47.83" (1215mm)
Surface Texture: Registered in Embossed
Edge profile: Micro-bevel painting

9811
EIR sparkling



98815

99814

99812

Style: 9895
 Collection: EIR Sparkling
 Construction: Laminate
 Species: Oak
 Thickness: 8mm to 15mm
 Plank Width: 5" to 10" (126mm to 239mm)
 Plank Length: 47.83" (1215mm)
 Surface Texture: EIR texture with Sparkling wood grain
 Edge profile: Micro-bevel painting



9895 EIR Sparkling

98953



98954



98956

9032 Handscraped and EIR collection

The wavy grain shows real Hickory appearance, to bring you an expressing gentle and peaceful sense. The softly rounded edges are made of the same material like the surface. The special surface is designed to enhance the room warm feeling.

Style: 9032
 Collection: Handscraped and EIR
 Construction: Laminate
 Species: Hickory
 Thickness: 10mm and 12mm
 Plank Width: 6 1/2" (166mm)
 Plank Length: 47.83" (1215mm)
 Surface Texture: Soft Handscraped and EIR
 Edge profile: Press bevel



903216 Ashland Hickory



9032F Cardina Hickory



9032H Hampton Hickory

Style: 9851
 Collection: Handscraped and EIR
 Construction: Laminate
 Species: Oak
 Thickness: 8mm to 15mm
 Plank Width: 5" , 5 1/2" and 6 1/2"
 (126mm, 143mm and 166mm)
 Plank Length: 47.83' ' (1215mm)
 Surface Texture: Soft Handscraped and EIR
 Edge profile: Micro-bevel painting



9851
Handsraped and
EIR collection



98514 African Oak



98511 Tahoe Oak



98515 Vilsen Oak



98512 Heritage Oak



98516 Thermo Oak



98884
Handsraped and
EIR collection

Style: 98884/9858
 Collection: Handsraped and EIR
 Construction: Laminate
 Species: Hickory
 Thickness: 8mm to 15mm
 Plank Width: 5" , 5 1/2" and 6 1/2"
 (126mm, 143mm and 166mm)
 Plank Length: 47.83' ' (1215mm)
 Surface Texture: Soft Handscraped and EIR
 Edge profile: Micro-bevel painting



98841 Bistre Hickory



98842 Umber Hickory



98581 England Oak



98843 Henna Hickory



98844 Sepia Hickory



98582 Smoked Oak

T0001

Handscraped and EIR collection

Style: T0001
Collection: Handscraped and EIR
Construction: Laminate
Species: Hickory
Thickness: 8mm to 15mm
Plank Width: 5" , 5 1/2" and 6 1/2"
(126mm, 143mm and 166mm)
Plank Length: 47.83" (1215mm)
Surface Texture: Registered in Embossed
Edge profile: Micro-bevel painting



T0011 Milky Hickory



T0012 Gunstock Hickory



T0015 Espresso Hickory



T0111 Hearth Hickory

The Laminate Flooring Decor Colors Evolution



BBL FLOOR



other Floor

What is the pattern repeat?

Laminate floors are meant to mimic the real thing, wood or tile . A pattern repeat refers to how many different visuals can be expected in the floor. The more visuals, the more realistic it looks. The industry average on laminate floors is 1 in 6 pattern repeat (every 16sq.ft. repeat) .

BBL Floor starts at 1 in 12 pattern repeat (every 32 sq.ft. repeat)and our next step will go as high as 1 in 24 (every 64 sq.ft. repeat)!

SF3211



SF3212



SF3215



SF3213



Every 32 Sq.Ft.
repeat



SF3216



High Gloss



High Gloss Collection
 ***4 layers
 ***3 layers (Liquid overlay)

High Gloss Laminate
 High Glossy finish with good performance of anti-scratch and this easy care surface makes this laminate flooring a world exclusive.

96071 Tiger Wood

96072 Rose Wood



98591 Hickory Natural

98592 Hickory Puce

98593 Hickory American

9904 Blackbutt	9809 Glazed Walnut	9901 Maple Cream	9813 Cappuccino Oak
91061 Golden Maple	97118 Mahogany	91063 Glossy Maple	91181 Walnut Chocolate



Mat Structure

The trend of flooring covering is towards mat, mat and more mat. We see mat structures appearing everywhere and the mat finish emphasizes the natural relief of the wood grain.



Mat structure

Style: Mat Structure
Construction: Laminate
Thickness: 8.3mm to 12.3mm
Plank Width: 7 1/2" (196mm)
Plank Length: 47.83" (1215mm)
Surface Texture: Low gloss with 5° - 10°
Edge profile: 2 sides or 4 sides micro bevel painting

Mat structure

90403



95140



95110



95043



95069



95193



95067



95058



Tile Laminate

98572 Mojave slate



9890 Mediterranean slate



98551 Spring Blossom




Tile Laminate

Tile laminate flooring captures the beauty the natural ceramic tile, stone and concrete but without holding in their characteristically cold temperature. Tile Laminate flooring is all about you and your home. For an up to date look in your home, slate or stone laminate can really improve the look and function your home because combines great design, modern technology and real comfort.

Collection: Tile plank
 Construction: Laminate
 Thickness : 8mm to 12mm
 Plank Width: 16" (403mm)
 Plank Length: 47.83" (1215mm)
 Surface Texture: Slate
 Edge profile: Square edge



97003



97001



97000

Tile Laminate

Collection: Tile
 Construction: Laminate
 Thickness: 10mm to 12mm
 Plank Width: 16" (395mm)
 Plank Length: 16" (395mm)
 Surface Texture: Slate
 Edge profile: Micro-bevel painting





E plus Series / E +
E 99121#
Acacia Natural



Exact imaging technology takes realism to the extreme – even to the touch. The elegant and natural hand-scraped surface with eased U press edges and the unique high clarity and color variation give the floor a lively and outstanding look. Achieve the ultimate luxury with stunning hardwood designs, flawless finish and micro-press bevel to make every corner in your room exotic and special.

Style: E9912#
Collection: E plus/E +
Construction: LAMINATE
Species: Acacia
Thickness: 12.3mm
Plank Width: 5 in. (126mm)
Plank Length: 47.83" (1215mm)
Surface Texture: Hand-scraped
Sq.Ft. per Carton: 16.48 Sq.Ft.
Edge profile: U press bevel



9895-3



9895-4



9895-6



9895-8 sample color



HAND-SCRAPED TEXTURE DETAIL





E9913#
Tiger Natural

Wildly exotic yet strikingly sophisticated Tigerwood's light yellows and brown combined with a beautiful and unique dark grain variation make it one of the most popular exotic species in the world today. Particularly popular with designer for it's bold look and unmatched flexibility.



Style: E9913#
Collection: E plus Series/E+
Construction: LAMINATE
Species: Tiger Natural
Thickness: 12.3mm
Plank Width: 5 in. (126mm)
Plank Length: 47.83' ' (1215mm)
Surface Texture: Hand-scraped
Sq.Ft. per Carton: 16.48 Sq.Ft.
Edge profile: U press bevel



A320 Series
A9913
Tuscan Oak

Exact imaging technology takes realism to the extreme - even to the touch. The elegant and natural hand-scraped surface with eased U press edges and the unique high clarity and color variation give the floor a lively and outstanding look. Achieve the ultimate luxury with stunning hardwood designs, flawless finish and micro-press bevel to make every corner in your room exotic and special.



TEXTURE DETAIL

Style: A9913#
Collection: A320 Series
Construction: LAMINATE
Species: Oak
Thickness: 12.3mm
Plank Width: 5 in. (126mm)
Plank Length: 47.83" (1215mm)
Surface Texture: Hand-scraped and Embossed in registered
Sq.Ft. per Carton: 16.48 Sq.Ft.
Edge profile: Micro bevel painting



A9913
Tuscan Oak

9895-3



9895-4



9895-6

9895-8 sample color



Birch Wood Flooring

A Good Hardwood-looking Laminate with Unique Character

Looking for an alternative to oak or maple floors? Try birch wood flooring. It has the benefits of the other wood floors while offering a unique and attractive appearance.

Birch generally has a lighter sapwood and a darker contrasting heartwood. Boards that have both often display an attractive combination of light creamy shades mixed with darker red and brown tones. If you like this type of action, color variation and real-wood handscraped texture, you'll find it with certain varieties of birch wood floors.

Style:	93025#
Collection:	BIRCH WOOD
Construction:	LAMINATE
Thickness:	12.3mm
Plank Width:	5 1/2 in. (143mm)
Plank Length:	47.75" (1216mm)
Surface Texture:	Handscraped and EIR Finish
Sq.Ft. per Carton:	13.10 Sq.Ft.
Edge profile:	Micro bevel edge



Available Colors



930251



930251



930252

Birch Wood Flooring



930252



930251



930251



Laminate Moldings

The same decor matching to your laminate floors perfectly.



Wall-base

Size: 2400x60/80x15(mm)
Packaging: 10pcs/carton



T-moulding

Size: 2400x45x10(mm) 2400x45x12(mm)
Packaging: 20pcs/carton



Quarter round

Size: 2400x28x12(mm)
Packaging: 40pcs/carton



Reducer

Size: 2400x45x12(mm) 2400x45x15(mm)
Packaging: 20pcs/carton



End-molding

Size: 2400x35x12(mm) 2400x35x15(mm)
Packaging: 20pcs/carton



Plastic strip



Stair-nose

Size: 2400x55x18(mm)
Packaging: 10pcs/carton



End-cap

Size: 2400x35x12(mm) 2400x35x15(mm)
Packaging: 20pcs/carton

Laminate Underlayment

Purposes of Laminate Underlayment:

1. Gives your floor a bit more thermal insulation.
2. Bridges some of the minor gaps that subfloors or existing floors have.
3. Absorbs sound.
4. Makes it easier for you to walk because it's softer.
5. Can act as a moisture barrier

1.EPE Foam



4.IXPE Foam




2.EVA pad



5.Rubber Foam



3.EVA pad with Aluminium coating



6.Recycle cotton fabric pad

