




Code: 168-3










Golden  
World  
Trading  
Group

[www.GoldenWTG.org](http://www.GoldenWTG.org)

# ORBITA TECHNOLOGY CO., LTD.

Model	PICTURE	DESCRIPTION
<p><b>MB-30</b></p>	<p><b>Absorption Type</b></p>  	<p>1: Cooling Method: <b>Absorption</b>, no noise, no pollute, no compressor, very environmental.</p> <p>2: Interior light with removing shelving for easy cleaning.</p> <p>3: Fully automatic defrost system and easily adjustable thermostat.</p> <p>4: Strong door hinges convertible left to right.</p> <p>5: Size(W*D*H)mm : 400 * 420 * 517 Packing Size(W*D*H)mm : 452 * 447 * 589</p> <p>6: Storage Temperature(°C) : <b>0 ~ 12</b></p> <p>7: Input Power(W) : 65</p> <p>8: Energy Consumption(kwh/24h) : 0.8</p> <p>9: Validity Capacity(L) : 30</p> <p>10: Voltage(V) : AC220/110</p> <p>11:Net/Gross Weight(kg) : 18 / 20.5</p> <p>12: Glass door or black solid door available</p> <p>20' container can load about: 240pcs</p> <p><b>Warranty: at least 5 years.</b></p>
<p><b>MB-40</b></p>	<p><b>Absorption Type</b></p> 	<p>1: Cooling Method: <b>Absorption</b>, no noise, no pollute, no compressor, very environmental.</p> <p>2: Interior light with removing shelving for easy cleaning.</p> <p>3: Fully automatic defrost system and easily adjustable thermostat.</p> <p>4: Strong door hinges convertible left to right.</p> <p>5: Size(W*D*H)mm : 400 * 470 * 517 Packing Size(W*D*H)mm : 452 * 497 * 589</p> <p>6: Storage Temperature(°C) : <b>0 ~ 12</b></p> <p>7: Input Power(W) : 65</p> <p>8: Energy Consumption(kwh/24h) : 0.9</p> <p>9: Validity Capacity(L) : 40</p> <p>10: Voltage(V) : AC220/110</p>

		<p>11: Net/Gross Weight (kg) : 18.5 / 21  12: Glass door or black solid door available  20' container can load about: 208pcs  <b>Warranty: at least 5 years.</b></p>
<p><b>MB-25N</b></p>	<p><b>Absorption Type</b></p>  	<p>1: Cooling Method: <b>Absorption</b>, no noise, no pollute, no compressor, very environmental.  2: Interior light with removing shelving for easy cleaning.  3: Fully automatic defrost system and easily adjustable thermostat.  4: Strong door hinges convertible left to right.  5: Size (W*D*H) mm : 400 * 380 * 480  Packing Size (W*D*H) mm : 460 * 440 * 545  6: Storage Temperature (°C) : 0 ~ 12  7: Input Power (W) : 65  8: Energy Consumption (kwh/24h) : 0.9  9: Validity Capacity (L) : 25  10: Voltage (V) : AC220/110  11: Net/Gross Weight (kg) : 16 / 18  12: Glass door or black solid door available  20' container can load about: 260pcs  <b>Warranty: at least 5 years.</b></p>
<p><b>MB-30N</b></p>	 	<p>1: Cooling Method: <b>Absorption</b>, no noise, no pollute, no compressor, very environmental.  2: Interior light with removing shelving for easy cleaning.  3: Fully automatic defrost system and easily adjustable thermostat.  4: Strong door hinges convertible left to right.  5: Size (W*D*H) mm : 400 * 420 * 480  Packing Size (W*D*H) mm : 460 * 480 * 545  6: Storage Temperature (°C) : 0 ~ 12  7: Input Power (W) : 65  8: Energy Consumption (kwh/24h) : 0.9</p>

		<p>9: Validity Capacity(L) : 30  10: Voltage(V) : AC220/110  11:Net/Gross Weight(kg) : 16.5 / 18.5  12: Glass door or black solid door available  20' container can load about: 240pcs  <b>Warranty: at least 5 years.</b></p>
<p><b>MB-40N</b></p>		<p>1: Cooling Method: Absorption, no noise, no pollute, no compressor, very environmental.  2: Interior light with removing shelving for easy cleaning.  3: Fully automatic defrost system and easily adjustable thermostat.  4: Strong door hinges convertible left to right.  5: Size(W*D*H)mm : 400 * 440 * 550  Packing Size(W*D*H)mm : 460 * 500 * 610  6: Storage Temperature(°C) : <b>0 ~ 12</b>  7: Input Power(W) : 65  8: Energy Consumption(kwh/24h) : 0.9  9: Validity Capacity(L) : 40  10: Voltage(V) : AC220/110  11:Net/Gross Weight(kg) : 18.5 / 20.5  12: Glass door or black solid door available  20' container can load about: 220pcs  <b>Warranty: at least 5 years.</b></p>
<p><b>MB-60N</b></p>	<p><b>Absorption Type</b></p> 	<p>1: Cooling Method: Absorption, no noise, no pollute, no compressor, very environmental.  2: Interior light with removing shelving for easy cleaning.  3: Fully automatic defrost system and easily adjustable thermostat.  4: Strong door hinges convertible left to right.  5: Size(W*D*H)mm : 485 * 517 * 560  Packing Size(W*D*H)mm : 580 * 550 * 630  6: Storage Temperature(°C) : <b>0 ~ 12</b>  7: Input Power(W) : 85  8: Energy Consumption(kwh/24h) : 1.2  9: Validity Capacity(L) : 60</p>

		<p>10: Voltage(V) : AC220/110 11:Net/Gross Weight(kg) : 21 / 21.5 12: Glass door or black solid door available 20' container can load about: 200pcs <b>Warranty: at least 5 years.</b></p>
--	---	--

**1: Minimum Order Quantity:** 1 pc. .

**2: PAYMENT TERMS:** TT 30% for deposit and the balanced 70% before shipment.

**3: LEAD TIME:** Within 25 days after get the deposit

**4: PACK:** 1 PC/CARTON

**5: VALIDITY:** 20 days