

Code:149-6



Golden
World
Trading
Group

www.GoldenWTG.org

Automatic bottle mould blowing machine

Bottle size: 50—2000ml

Suitable material: PP PET Provide the 2D bottle drawing

Automatic bottle blow molding machine can produce PP, PET containers including the baby feeding bottles infusion bottle according to the different bottle shape and diameter. It has automobile system with high efficiency. The distant infrared ray heat pipe are used in the machine ,It has high pressure protection with the feature of precisely removing mould ,The machine has no noise ,It is easy to maintain ,It's the equipment for producing PET bottles

High temperature Blow Molding Machine-specific warm-up through the perform . Preform cooling. Reheating preforms . Further cooling. Reciprocating cycle. The end, the preforms suitable for stretch blow roasted state. Bottle blowing uniform wall thickness. Transparent performance characteristics well. Mainly used in high-temperature filler. Temperature reached 90 °C. And it can withstand high temperature second sterilization.

| Machine Name | Item | Main parts | Description | Quantity | |
|---------------------------------------|----------------------------|------------------------------|--------------------------|----------|--|
| HY-PP automatic mould blowing machine | 1 | Stretch Blow Equipment | | 1 | |
| | 2 | Rotary infrared pre-heater | | 1 | |
| | Auxiliary Equipment | | | | |
| | 3 | high pressure air compressor | 1.0m ³ /30KG | 1 | |
| | 4 | Low pressure air compressor | 1.05m ³ /10KG | 1 | |
| | 5 | High pressure pipe | | 1 | |
| | 6 | Air filter | 2.0m ³ /30KG | 2 | |
| | 7 | Blowing Mold | 50--2000ml | 1 | |
| 8 | output pcs/hr : 600-800p/h | | | | |

Products **catalogue**



Main parameter:

| | | |
|--------------|------------------|--------|
| Model | HY-PP | |
| Main machine | Product material | PP、PET |

Products **catalogue**

| | | |
|---------------------|-----------------------------------|--------------------------|
| | Volume | 50ML-2000ML |
| | Theoretical output | 600-800PCS/H |
| | Preform length | 15mm-260mm |
| | Preform inner diameter | Φ15mm-100mm |
| | Max. mould plate Dimension(L x W) | 400x450mm |
| | Max.mould thickness | 370mm |
| | Clamping force | 100KN |
| | Mould opening stroke | 350mm |
| | Blowing Air Pressure | <=3.0 Mpa |
| | Working Pressure | <=1.0mpa |
| | size and weight | Main machine (L x W x H) |
| Main machine weight | | 550Kg |
| Heater (L x W x H) | | 400*63*145cm |
| Heater weight | | 900Kg |
| Power | | 8-20kw |

Warm reminder

Feel free to ask for detail specification and operation video!!!

All staff warmly welcome new or old customers come for consultation. In order to make filling machinery achieved your ideal requirements, we will be making detailed project plan, to realize low cost, high efficiency and scientific process combination.

