

Code: 108-3



Golden
World
Trading
Group

www.GoldenWTG.org

KINGKIND

ISO9001/ISO14001/SONCAP/CE

ISO9001/ISO14001/SONCAP/CE

KINGKIND

Steel door <http://en.kkdoors.com>

Steel door <http://en.kkdoors.com>

Luxury Door Series ■ ■

Luxury Door Series ■ ■



KKD-1009

Standard Dimension (Height * width)	2,050 * 950mm, 2,050 * 900mm, 2,050 * 850mm 1,970 * 950mm, 1,970 * 900mm, 1,970 * 850mm
Doorset thickness	70/80/100mm
Steel sheet thickness	0.7/1.4mm, 0.8/1.5mm, 0.9/1.8mm, 1.0/2.0mm
Finishing	powder coating, heat transfer printing or copper imitation
Opening Direction	inward or outward
Doorset	stainless steel or painted
Hinge	visible or invisible
Packing	Bubble bag / corrugated carton or customized
Filling	Honeycomb paper or rock wool



KKD-1016



KKD-0732



KKD-0817



KKD-10082



KKD-1015



KKD-1011Z



KKD-0731



KKD-1005A



KKD-1006B

☞

☞

KINGKIND

ISO9001/ISO14001/SONCAP/CE

ISO9001/ISO14001/SONCAP/CE

KINGKIND

Steel door <http://en.kkdoors.com>

Steel door <http://en.kkdoors.com>

Luxury Door Series ■ ■

Luxury Door Series ■ ■



KKD-0804



KKD-0804Y



KKD-0803



JKD-629W



KKD-1013



KKD-0720



KKD-0706



KKD-0730



KKD-0718



KKD-1022



KKD-0721



KKD-0705

☞

☞

Luxury Door Series ■ ■



KKD-0822



KKD-0805



KKD-0704



KKD-0911



KKD-1009B



JKD-651



KKD-0801



JKD-601



JKD-654

Standard Dimension (Height * width)	2,050 * 950mm, 2,050 * 900mm, 2,050 * 850mm 1,970 * 950mm, 1,970 * 900mm, 1,970 * 850mm
Doorleaf thickness	50/70mm
Steel sheet thickness	0.5/1.0mm, 0.6/1.2mm, 0.7/1.4mm, 0.8/1.5mm
Finishing	powder coating or heat transfer printing
Opening Direction	inward or outward
Doorset	stainless steel or painted
Hinge	visible or invisible
Packing	Bubble bag + corrugated carton or customized
Filling	Honeycomb paper or rock wool

Commercial Door Series ■ ■

Commercial Door Series ■ ■



JKD-652



JKD-653



KKD-08021



JKD-502



JKD-261



JKD-612



JKD-612A



JKD-629



JKD-658



JKD-602



JKD-655



JKD-602B



JKD-614



JKD-618



JKD-607



JKD-624

Commercial Door Series ■ ■


Commercial Door Series



JKD-632 JKD-659 JKD-705 JKD-710



JKD-805 JKD-611 JKD-601D



NO.1 NO.2 NO.3 NO.4 NO.5 NO.6




NO.7 NO.8 NO.9 NO.10 NO.11 NO.12




NO.13 NO.14 NO.15 NO.16 NO.17

Optional steel door handle and lock



Lock range



Viewer range



Handle range



Hinge range




Color range




STEEL-WOOD Door Series


Structural drawing



Door architrave



1. Door frame strip
2. Upper crosspiece
3. Bar strip
4. Wood pin 4x15 & Fix plate
5. Wood pin 4x60
6. Insulation rubber seal
7. High quality Cold-rolled steel sheet
8. Lock reinforcement
9. Wood reinforcement strip
10. Ecological in-filling
11. Reinforced block of solid wood



STEEL-WOOD Door Series

Seamless edging: 18mm deep embossment · 0.7mm steel · ANTI-UV painting · Waterproof frame jamb.



Dimension:
Width: 700/800mm
Height: 2000/2020mm
Thickness: 43mm
Opening Direction:
Inward or outward
Filling:
Honeycomb paper
or polyurethane

STEEL-WOOD Door Series



KINGKIND

ISO9001/ISO14001/SONCAP/CE

STEEL-WOOD Door Series



JKD-917(T) JKD-7777(F) JKD-916(Z) JKD-1061(G)



JKD-X16(K) JKD-X309(K) JKD-S18

Interior door <http://www.kinddoors.com>

101

ISO9001/ISO14001/SONCAP/CE

KINGKIND

PVC Door Series



MDF Door
PVC Door



JKD-M685 JKD-M686 JKD-M687 JKD-M688 JKD-M689



JKD-M690 JKD-M691 JKD-M692 JKD-M693 JKD-M694



JKD-M695 JKD-M696 JKD-M697 JKD-M698
Sliding Door

Interior door <http://www.kinddoors.com>

102

KINGKIND

ISO9001/ISO14001/SONCAP/CE

PVC Door Series



JKD-M613 JKD-M614 JKD-M615 JKD-M616



JKD-M617 JKD-M618 JKD-M640 JKD-M646



JKD-M659 JKD-M675 JKD-M679 JKD-M684

Interior door <http://www.kinddoors.com>

103

ISO9001/ISO14001/SONCAP/CE

KINGKIND

PVC Door Series



JKD-M601 JKD-M602 JKD-M603 JKD-M604



JKD-M605 JKD-M606 JKD-M607 JKD-M608



JKD-M609 JKD-M610 JKD-M611 JKD-M612


Interior door <http://www.kinddoors.com>

104

KINGKIND

ISO9001/ISO14001/SONCAP/CE

Lock Range



Frame Type Range



Color Range



Interior door <http://www.kingkind.com>

207

ISO9001/ISO14001/SONCAP/CE

KINGKIND

Bathroom Door Series ■■



High quality aluminum material to present high performance
Perfect resistance to weathering
Different colors / glass available
Patented wood grain
Size to be customized



Interior door <http://www.kingkind.com>

208

KINGKIND

ISO9001/ISO14001/SONCAP/CE

Bathroom Door Series ■■

Aluminum sliding door



Interior door <http://www.kingkind.com>

209

ISO9001/ISO14001/SONCAP/CE

KINGKIND

Armored Door Series ■■



- A. 内衬优质钢板
Liner High-Quality Steel plate
- B. U型加强筋
U-Shape Reinforced Rib
- C. 门包边
Door Wrapping
- D. 加强防撞门框
Strengthen anti-burglary frame
- E. 加强型安装片
Reinforcing type installing Slice
(图板螺钉固定板)
(Reinforced Screw Field Board)
- F. 装饰木线条
Decorative Wood Lines
- G. 加强型侧锁
Reinforcing-type Side Lock
- H. 木质门板
Wooden Door Board
(贴天然木条)
(Stick Natural Wood Veneer)
- I. 大广角视窗
Big Wide-Angle Door Viewer
- J. 固定铰
Fixed Bolt
- K. 优质填充防盗锁
High-Quality Inserted Core Theftproof lock
- L. 不锈钢铰链
Stainless Steel Hinge
- M. 隔音、隔热蜂巢板
Sound Insulation/Heat Insulation
Honeycomb Board
- N. 门边加厚防撞边
Door Leaf Thickening Anti-theft Edge
- O. 隔音密封条
Sound Insulation Gland Strip

Interior door <http://www.kingkind.com>

210