




Code:111-5



Golden  
World  
Trading  
Group



[www.GoldenWTG.org](http://www.GoldenWTG.org)

Pic.	Model	Key Specifications	More than 20pcs
 <p style="text-align: center;"><b>Hot</b></p> <p>240(L)*260(w)x60(H)mm</p>	MVT-5004	<p>Compression format:H.264,Video input:BNCx4,Video output:BNCx1, VGA X 1            Display Resolution:D1,Record Resolution:CIF            Display Frame Rate:25*4FPS (PAL),30*4FPS (NTSC),Record Frame Rate:100FPS@CIF(PAL),120FPS@CIF(NTSC),Audio input:1ch, Audio output:AVx1            Support soft update,Support PTZ control,Support VGA output,directly connected to LCD            Hard disk info:Support One 2Terabyte HDD,PTZ:RS485,USB port: Two High speed USB2.0            Support Remote controller,Remote View: support IE browser and client software,Support for mouse operation,come with 1pc mouse.            Support external DVD-RW. Support 3G Mobilephone Surveillance(Iphone,Andriod,Blackberry,Windows,Symbian)</p> <p><a href="#">Menu Come with English,Italian,Turkish,Thai,Russian,French,Portuguese,Spanish,Polish,Persian,German,Serbian language,Dutch,Macedonian,Czech,Latvian,Bahasa Indonesia,Roma language,Simplified Chinese. Meanwhile,Hebrew,Korean,Greek,Japanese,Vietnamese can be optional if need.</a></p>	
 <p>240(L)*260(w)x60(H)mm</p>	MVT-5008	<p>Compression format:H.264,Video input:BNCx8,Video output:BNCx1, VGA X 1            Display Resolution:D1,Record Resolution:D1,CIF            Display Frame Rate:25*8FPS (PAL),30*8FPS (NTSC),Record Frame Rate:200FPS@CIF(PAL),240FPS@CIF(NTSC),Audio input:1ch, Audio output:AVx1            Support soft update,Support PTZ control,Support VGA output,directly connected to LCD            Hard disk info:Support One 2Terabyte HDD,PTZ:RS485,USB port: Two High speed USB2.0            Support Remote controller,Remote View: support IE browser and client software,Support for mouse operation,come with 1pc mouse.            Support external DVD-RW. Support 3G Mobilephone Surveillance(Iphone,Andriod,Blackberry,Windows,Symbian)</p> <p><a href="#">Menu Come with English,Italian,Turkish,Thai,Russian,French,Portuguese,Spanish,Polish,Persian,German,Serbian language,Dutch,Macedonian,Czech,Latvian,Bahasa Indonesia,Roma language,Simplified Chinese. Meanwhile,Hebrew,Korean,Greek,Japanese,Vietnamese can be optional if need.</a></p>	




 <p>340(L)*260(w)x60(H)mm</p>	<p>MVT-5104</p>	<p>Compression format:H.264,Video input:BNCx4,Video output:BNCx1, VGA X 1  Display Resolution:D1,Record Resolution:D1,CIF  Display Frame Rate:25*4FPS (PAL),30*4FPS (NTSC),Record Frame Rate:100FPS@CIF(PAL),120FPS@CIF(NTSC)  Audio input:4ch, Audio output:AVx1,Alarm input:4CH,Alarm output:relay out,NO,NC,COM  Support soft update,Support PTZ control,Support VGA output,directly connected to LCD  Hard disk info:Support One 2Terabyte HDD,PTZ:RS485,Two High speed USB2.0  Support Remote controller,Remote View: support IE browser and client software,Support for mouse operation,come with 1pc mouse.Support external DVD-RW. Support 3G Mobilephone Surveillance(Iphone,Andriod,Blackberry,Windows,Symbian)</p> <p><a href="#">Menu Come with English,Italian,Turkish,Thai,Russian,French,Portuguese,Spanish,Polish,Persian,German,Serbian language,Dutch,Macedonian,Czech,Latvian,Bahasa Indonesia,Roma language,Simplified Chinese. Meanwhile,Hebrew,Korean,Greek,Japanese,Vietnamese can be optional if need.</a></p>	
 <p>340(L)*260(w)x60(H)mm</p>	<p>MVT-5108</p>	<p>Compression format:H.264,Video input:BNCx8,Video output:BNCx1, VGA X 1  Display Resolution:D1,Record Resolution:D1,CIF  Display Frame Rate:25*8FPS (PAL),30*8FPS (NTSC),Record Frame Rate:200FPS@CIF(PAL),240FPS@CIF(NTSC)  Audio input:4ch, Audio output:AVx1,Alarm input:8CH,Alarm output:2CH relay out,NO,NC,COM  Support soft update,Support PTZ control,Support VGA output,directly connected to LCD  Hard disk info:Support One 2Terabyte HDD,PTZ:RS485,Two High speed USB2.0  Support Remote controller,Remote View: support IE browser and client software,Support for mouse operation,come with 1pc mouse.Support external DVD-RW. Support 3G Mobile phone Surveillance</p> <p><a href="#">Menu Come with English,Italian,Turkish,Thai,Russian,French,Portuguese,Spanish,Polish,Persian,German,Serbian language,Dutch,Macedonian,Czech,Latvian,Bahasa Indonesia,Roma language,Simplified Chinese. Meanwhile,Hebrew,Korean,Greek,Japanese,Vietnamese can be optional if need.</a></p>	
 <p>340(L)*260(w)x60(H)mm</p>	<p>MVT-5116</p>	<p>Compression format:H.264,Video input:BNCx16,Video output:BNCx1, VGA X 1  Display Resolution:D1,Record Resolution:CIF  Display Frame Rate:25*16FPS (PAL),30*16FPS (NTSC),Record Frame Rate:400FPS@CIF(PAL),480FPS@CIF(NTSC)  Audio input:2ch, Audio output:AVx1,Alarm input:4CH,Alarm output:1CH relay out,NO,NC,COM  Support soft update,Support PTZ control,Support VGA output,directly connected to LCD  Hard disk info:Support One 2Terabyte HDD,PTZ:RS485,Two High speed USB2.0  Support Remote controller,Remote View: support IE browser and client software,Support for mouse operation,come with 1pc mouse.Support external DVD-RW. Support 3G Mobile phone Surveillance</p> <p><a href="#">Menu Come with English,Italian,Turkish,Thai,Russian,French,Portuguese,Spanish,Polish,Persian,German,Serbian language,Dutch,Macedonian,Czech,Latvian,Bahasa Indonesia,Roma language,Simplified Chinese. Meanwhile,Hebrew,Korean,Greek,Japanese,Vietnamese can be optional if need.</a></p>	



 <p>340(L)*260(w)x60(H)mm</p>	<p>MVT-5716</p>	<p>Compression format:H.264,Video input:BNCx16,Video output:BNCx1, VGA X 1  Display Resolution:D1,Record Resolution:CIF  Display Frame Rate:25*16FPS (PAL),30*16FPS (NTSC),Record Frame Rate:400FPS@CIF(PAL),480FPS@CIF(NTSC)  Audio input:2ch, Audio output:AVx1,Alarm input:8CH,Alarm output:2CH relay out,NO,NC,COM  Support soft update,Support PTZ control,Support VGA output,directly connected to LCD  Hard disk info:Support Two 2Terabyte HDD and external HDD,PTZ:RS485,Two High speed USB2.0  Support Remote controller,Remote View: support IE browser and client software,Support for mouse operation,come with 1pc mouse.Support external DVD-RW. Support 3G Mobilephone Surveillance(Iphone,Andriod,Blackberry,Windows,Symbian)</p> <p><a href="#">Menu Come with English,Italian,Turkish,Thai,Russian,French,Portuguese,Spanish,Polish,Persian,German,Serbian language,Dutch,Macedonian,Czech,Latvian,Bahasa Indonesia,Roma language,Simplified Chinese. Meanwhile,Hebrew,Korean,Greek,Japanese,Vietnamese can be optional if need.</a></p>	
<p><b>New Digital Zoom DVR</b></p>  <p>340(L)*265(W)*70(H)mm</p>	<p>MVT-6004</p>	<p>Compression format:H.264,Video input:BNCx4,Video output:BNCx1, VGA X 1  Display Resolution:D1,Record Resolution:CIF,D1,<b>Digital Zoom Function While Display and Playback</b>  Display Frame Rate:25*4FPS (PAL),30*4FPS (NTSC),Record Frame Rate:100FPS@CIF(PAL),120FPS@CIF(NTSC)  Audio input:4ch, Audio output:RCAx1,Alarm input:4CH,Alarm output:relay out,NO,NC,COM  Support soft update,Support PTZ control,Support VGA output,directly connected to LCD  Hard disk info:Support 1 pcs SATA, PTZ:RS485,USB port: Three High speed USB2.0  Support Remote controller,Remote View: support IE browser and client software,Support for mouse operation,come with 1pc mouse.  Support external DVD-RW. Support 3G Mobilephone Surveillance(Iphone,Andriod,Blackberry,Windows,Symbian)</p> <p><a href="#">Support multi-language: English,Russian,Italian,German,Polish,Turkish,French,Portuguese,Spanish,Persian,Arabic,Thai,Greek,Hebrew Japanese,Simplified Chinese, Traditional Chinese.</a></p>	
<p><b>New Digital Zoom DVR</b></p>  <p>340(L)*265(W)*70(H)mm</p>	<p>MVT-6008</p>	<p>Compression format:H.264,Video input:BNCx8,Video output:BNCx1, VGA X 1  Display Resolution:D1,Record Resolution:CIF,D1,<b>Digital Zoom Function While Display and Playback</b>  Display Frame Rate:25*8FPS (PAL),30*8FPS (NTSC),Record Frame Rate:200FPS@CIF(PAL),240FPS@CIF(NTSC)  Audio input:8ch, Audio output:RCAx1,Alarm input:4CH,Alarm output:relay out,NO,NC,COM  Support soft update,Support PTZ control,Support VGA output,directly connected to LCD  Hard disk info:Support 1 pcs SATA, PTZ:RS485,USB port: Three High speed USB2.0  Support Remote controller,Remote View: support IE browser and client software,Support for mouse operation,come with 1pc mouse.  Support external DVD-RW.Support 3G Mobilephone Surveillance(Iphone,Andriod,Blackberry,Windows,Symbian)</p> <p><a href="#">Support multi-language: English,Russian,Italian,German,Polish,Turkish,French,Portuguese,Spanish,Persian,Arabic,Thai,Greek,Hebrew Japanese,Simplified Chinese, Traditional Chinese.</a></p>	

<p style="text-align: center;"><b>New Digital Zoom DVR</b></p>  <p style="text-align: center;">340(L)*265(W)*70(H)mm</p>	<p style="text-align: center;">MVT-6016</p>	<p>Compression format:H.264,Video input:BNCx16,Video output:BNCx1, VGA X 1  Display Resolution:D1,Record Resolution:CIF,D1,<b>Digital Zoom Function While Display and Playback</b>  Display Frame Rate:25*16FPS (PAL),30*16FPS (NTSC),Record Frame Rate:400FPS@CIF(PAL),480FPS@CIF(NTSC)  Audio input:4ch, Audio output:RCAx1,Alarm input:4CH,Alarm output:relay out,NO,NC,COM  Support soft update,Support PTZ control,Support VGA output,directly connected to LCD  Hard disk info:Support 1 pcs SATA, PTZ:RS485,USB port: Three High speed USB2.0  Support Remote controller,Remote View: support IE browser and client software,Support for mouse operation,come with 1pc mouse.  Support external DVD-RW. Support 3G Mobilephone Surveillance(Iphone,Andriod,Blackberry,Windows,Symbian)  <a href="#">Support multi-language:</a>  <a href="#">English,Russian,Italian,German,Polish,Turkish,French,Portuguese,Spanish,Persian,Arabic,Thai,Greek,Hebrew Japanese,Simplified Chinese, Traditional Chinese.</a></p>	
 <p style="text-align: center;">340(L)*265(W)*70(H)mm</p>	<p style="text-align: center;">MVT-7404</p>	<p>Compression format:H.264,Video input:BNCx4,Video output:BNCx1,VGA HD(High Display) output:1280x1024  Display Resolution:D1,Record Resolution:D1  Display Frame Rate:25*4FPS (PAL),30*4FPS (NTSC),Record Frame Rate:100FPS@D1(PAL),120FPS@D1(NTSC)  Audio input:4ch, Audio output:AVx1,Alarm input:4CH,Alarm output:relay out,NO,NC,COM  Support soft update,Support PTZ control,Support VGA output,directly connected to LCD  Hard disk info:Support 1 pcs SATA, PTZ:RS485,USB port: High speed USB2.0 for mouse,backup and upgrade  Support Remote controller,Remote View: support IE browser and client software,Support for mouse operation,come with 1pc mouse.  Support external DVD-RW. Support 3G Mobilephone Surveillance(Iphone,Andriod,Blackberry,Windows,Symbian)  <a href="#">DVR Support optional multi-language menu: Simplified Chinese,English,Italian,Traditional Chinese,Spanish,Russian,Thai,Turkish,French,Hungarian,Slovenian,Portuguese,Polish,Persian,Czech, Vietnamese,Dutch, Hebrew,Romanian,Danish,Norwegian,and custom-made language menu supported.</a></p>	
 <p style="text-align: center;">340(L)*265(W)*70(H)mm</p>	<p style="text-align: center;">MVT-7408</p>	<p>Compression format:H.264,Video input:BNCx8,Video output:BNCx1,VGA HD(High Display) output:1280x1024  Display Resolution:D1,Record Resolution:D1,CIF  Display Frame Rate:25*8FPS (PAL),30*8FPS (NTSC),Record Frame Rate:200FPS@CIF , 50FPS@D1(PAL) 240FPS@CIF,60FPS@D1(NTSC)  Audio input:4ch, Audio output:AVx1,Alarm input:4CH,Alarm output:relay out,NO,NC,COM  Support soft update,Support PTZ control,Support VGA output,directly connected to LCD  Hard disk info:Support 1 pcs SATA, ,PTZ:RS485,USB port: High speed USB2.0 for mouse,backup and upgrade  Support Remote controller,Remote View: support IE browser and client software,Support for mouse operation,come with 1pc mouse.  Support external DVD-RW. Support 3G Mobilephone Surveillance(Iphone,Andriod,Blackberry,Windows,Symbian)  <a href="#">DVR Support optional multi-language menu: Simplified Chinese,English,Italian,Traditional Chinese,Spanish,Russian,Thai,Turkish,French,Hungarian,Slovenian,Portuguese,Polish,Persian,Czech, Vietnamese,Dutch, Hebrew,Romanian,Danish,Norwegian,and custom-made language menu supported.</a></p>	

 <p>340(L)*265(W)*70(H)mm</p>	<p>MVT-7416</p>	<p>Compression format:H.264,Video input:BNCx16,Video output:BNCx1,VGA HD(High Display) output:1280x1024, <a href="#">with YPbPr and SPOT Video output</a>  Display Resolution:D1,Record Resolution:CIF  Display Frame Rate:25*16FPS (PAL),30*16FPS (NTSC),Record Frame Rate:400FPS@CIF,100FPS@D1(PAL),480FPS@CIF,120FPS@D1(NTSC)  Audio input:4ch, Audio output:AVx1,Alarm input:4CH,Alarm output:relay out,NO,NC,COM  Support soft update,Support PTZ control,Support VGA output,directly connected to LCD  Hard disk info:Support Two Terabyte HDD and external HDD,PTZ:RS485,USB port: High speed USB2.0 for mouse,backup and upgrade  Support Remote controller,Remote View: support IE browser and client software,Support for mouse operation,come with 1pc mouse.  Support external DVD-RW. Support 3G Mobilephone Surveillance(Iphone,Andriod,Blackberry,Windows,Symbian)</p> <p><a href="#">DVR Support optional multi-language menu: Simplified Chinese,English,Italian,Traditional Chinese,Spanish,Russian,Thai,Turkish,French,Hungarian,Slovenian,Portuguese,Polish,Persian,Czech,Vietnamese,Dutch, Hebrew,Romanian,Danish,Norwegian,and custom-made language menu supported.</a></p>	
 <p>435(L)*320(W)*65(H)mm</p>	<p>MVT-8204</p>	<p>Compression format:H.264,Video input:BNCx4,Video output:BNCx1,VGA HD(High Display) output:1280x1024  Display Resolution:D1,Record Resolution:D1  Display Frame Rate:25F/S (PAL),30F/S (NTSC),Record Frame Rate:25F/S(PAL)@D1,30F/S(NTSC)@D1  Audio input:4ch, Audio output:1ch,Alarm input:4CH,Alarm output:relay out,NO,NC,COM  Hard disk info:Support 2 pcs SATA, PTZ:RS485,USB port: High speed USB2.0 for mouse,backup and upgrade  Support Remote controller,Remote View: support IE browser and client software,Support for mouse operation,come with 1pc mouse.  Support external DVD-RW. Support 3G Mobilephone Surveillance(Iphone,Andriod,Blackberry,Windows,Symbian)</p> <p><a href="#">DVR Support optional multi-language menu: Simplified Chinese,English,Italian,Traditional Chinese,Spanish,Russian,Thai,Turkish,French,Hungarian,Slovenian,Portuguese,Polish,Persian,Czech,Vietnamese,Dutch, Hebrew,Romanian,Danish,Norwegian,and custom-made language menu supported.</a></p>	
 <p>435(L)*320(W)*65(H)mm</p>	<p>MVT-8208</p>	<p>Compression format:H.264,Video input:BNCx8,Video output:BNCx1,VGA HD(High Display) output:1280x1024  Display Resolution:D1,Record Resolution:D1,CIF  Display Frame Rate:25F/S (PAL),30F/S (NTSC),Record Frame Rate:25F/S(PAL)@CIF,30F/S(NTSC)@CIF,6F/S(PAL)@D1,7F/S(NTSC)@D1  Audio input:4ch, Audio output:1ch,Alarm input:4CH,Alarm output:relay out,NO,NC,COM  Hard disk info:Support 2 pcs SATA, PTZ:RS485,USB port: High speed USB2.0 for mouse,backup and upgrade  Support Remote controller,Remote View: support IE browser and client software,Support for mouse operation,come with 1pc mouse.  Support external DVD-RW. Support 3G Mobilephone Surveillance(Iphone,Andriod,Blackberry,Windows,Symbian)</p> <p><a href="#">DVR Support optional multi-language menu: Simplified Chinese,English,Italian,Traditional Chinese,Spanish,Russian,Thai,Turkish,French,Hungarian,Slovenian,Portuguese,Polish,Persian,Czech,Vietnamese,Dutch, Hebrew,Romanian,Danish,Norwegian,and custom-made language menu supported.</a></p>	



 <p>435(L)*320(W)*65(H)mm</p>	<p>MVT-8216</p>	<p>Compression format:H.264,Video input:BNCx16,Video output:BNCx1,VGA HD(High Display) output:1280x1024,with YPbPr and SPOT Video output  Display Resolution:D1,Record Resolution:D1,CIF  Display Frame Rate:25F/S (PAL),30F/S (NTSC),Record Frame Rate:25F/S(PAL)@CIF,30F/S(NTSC)@CIF,6F/S(PAL)@D1,7F/S(NTSC)@D1  Audio input:4ch, Audio output:1ch,Alarm input:4CH,Alarm output:relay out,NO,NC,COM  Hard disk info:Support 2 pcs SATA, PTZ:RS485,USB port: High speed USB2.0 for mouse,backup and upgrade  Support Remote controller,Remote View: support IE browser and client software,Support for mouse operation,come with 1pc mouse.  Support external DVD-RW. Support 3G Mobilephone Surveillance(Iphone,Andriod,Blackberry,Windows,Symbian)  DVR Support optional multi-language menu: Simplified Chinese,English,Italian,Traditional Chinese,Spanish,Russian,Thai,Turkish,French,Hungarian,Slovenian,Portuguese,Polish,Persian,Czech,Vietnamese,Dutch, Hebrew,Romanian,Danish,Norwegian,and custom-made language menu supported.</p>	
 <p>435(L)*415(W)*103(H)mm</p>	<p>MVT-8604</p>	<p>Compression format:H.264,Video input:BNCx4,Video output:BNCx1,VGA HD(High Display),VGA HD(High Display) output:1280x1024,YPbPr/HDMI output:1920x1080i50/1920x1080i60 output:1280*1024,SPOTx1,LOOP output:BNCx4  Display Resolution:D1,Record Resolution:D1  Display Frame Rate:25*4FPS (PAL),30*4FPS (NTSC),Record Frame Rate:100FPS@D1(PAL) 120FPS@D1(NTSC)  Audio input:4ch, Audio output:AVx1,Alarm input:4CH,Alarm output:relay out,NO,NC,COM  Record Mode:Manual / Sensor /Timer / Motion detection,Interface:RJ45  Hard disk info:Support 4 pcs SATA, PTZ:RS485,USB port: USB port: Two High speed USB2.0  Support Remote controller,Remote View: support IE browser and client software,Support for mouse operation,come with 1pc mouse.  Support external DVD-RW. Support 3G Mobilephone Surveillance(Iphone,Andriod,Blackberry,Windows,Symbian)  DVR Support optional multi-language menu: Simplified Chinese,English,Italian,Traditional Chinese,Spanish,Russian,Thai,Turkish,French,Hungarian,Slovenian,Portuguese,Polish,Persian,Czech,Vietnamese,Dutch, Hebrew,Romanian,Danish,Norwegian,and custom-made language menu supported.</p>	
 <p>435(L)*415(W)*103(H)mm</p>	<p>MVT-8608</p>	<p>Compression format:H.264,Video input:BNCx8,Video output:BNCx1,VGA HD(High Display),VGA HD(High Display) output:1280x1024,YPbPr/HDMI output:1920x1080i50/1920x1080i60 output:1280*1024,SPOTx1,LOOP output:BNCx8  Display Resolution:D1,Record Resolution:D1  Display Frame Rate:25*8FPS (PAL),30*8FPS (NTSC),Record Frame Rate:200FPS@D1(PAL) 240FPS@D1(NTSC)  Audio input:8ch, Audio output:AVx1,Alarm input:8CH,Alarm output:relay out,NO,NC,COM  Record Mode:Manual / Sensor /Timer / Motion detection,Interface:RJ45  Hard disk info:Support 4 pcs SATA, PTZ:RS485,USB port: USB port: Two High speed USB2.0  Support Remote controller,Remote View: support IE browser and client software,Support for mouse operation,come with 1pc mouse.  Support external DVD-RW. Support 3G Mobilephone Surveillance(Iphone,Andriod,Blackberry,Windows,Symbian)  DVR Support optional multi-language menu: Simplified Chinese,English,Italian,Traditional Chinese,Spanish,Russian,Thai,Turkish,French,Hungarian,Slovenian,Portuguese,Polish,Persian,Czech,Vietnamese,Dutch, Hebrew,Romanian,Danish,Norwegian,and custom-made language menu supported.</p>	

 <p style="text-align: center;"><b>HDMI DVR</b></p> <p style="text-align: center;">435(L)*415(W)*103(H)mm</p>	<p style="text-align: center;">MVT-8616</p>	<p>Compression format:H.264,Video input:BNCx16,Video output:BNCx1,VGA HD(High Display),VGA HD(High Display) output:1280x1024,YPbPr/HDMI output:1920x1080i50/1920x1080i60 output:1280*1024,SPOTx1,LOOP output:BNCx16</p> <p>Display Resolution:D1,Record Resolution:D1,CIF</p> <p>Display Frame Rate:25*16FPS (PAL),30*16FPS (NTSC),Record Frame Rate:400FPS@CIF , 100FPS@D1(PAL) 480FPS@CIF,120FPS@D1(NTSC)</p> <p>Audio input:16ch, Audio output:AVx1,Alarm input:16CH,Alarm output:relay out,NO,NC,COM</p> <p>Record Mode:Manual / Sensor /Timer / Motion detection,Interface:RJ45</p> <p>Hard disk info:Support 4 pcs SATA, PTZ:RS485,USB port: USB port: Two High speed USB2.0</p> <p>Support Remote controller,Remote View: support IE browser and client software,Support for mouse operation,come with 1pc mouse.</p> <p>Support external DVD-RW. Support 3G Mobilephone Surveillance(Iphone,Andriod,Blackberry,Windows,Symbian)</p> <p>DVR Support optional multi-language menu: Simplified Chinese,English,Italian,Traditional Chinese,Spanish,Russian,Thai,Turkish,French,Hungarian,Slovenian,Portuguese,Polish,Persian,Czech, Vietnamese,Dutch, Hebrew,Romanian,Danish,Norwegian,and custom-made language menu supported.</p>	
 <p style="text-align: center;"><b>HDMI DVR</b></p> <p style="text-align: center;">435(L)*415(W)*103(H)mm</p>	<p style="text-align: center;">MVT-8632</p>	<p>Compression format:H.264,Video input:BNCx32,Video output:BNCx1,VGA HD(High Display),VGA HD(High Display) output:1280x1024,YPbPr/HDMI output:1920x1080i50/1920x1080i60 output:1280*1024</p> <p>Display Resolution:D1,Record Resolution:D1,CIF</p> <p>Display Frame Rate:25*32FPS (PAL),30*32FPS (NTSC),Record Frame Rate:800FPS@CIF , 200FPS@D1(PAL) 960FPS@CIF,240FPS@D1(NTSC)</p> <p>Audio input:8ch, Audio output:AVx1,Alarm input:16CH,Alarm output:relay out,NO,NC,COM</p> <p>Record Mode:Manual / Sensor /Timer / Motion detection,Interface:RJ45</p> <p>Hard disk info:Support 7 pcs SATA, PTZ:RS485,USB port: USB port: Two High speed USB2.0</p> <p>Support Remote controller,Remote View: support IE browser and client software,Support for mouse operation,come with 1pc mouse.</p> <p>Support external DVD-RW. Support 3G Mobilephone Surveillance(Iphone,Andriod,Blackberry,Windows,Symbian)</p> <p>DVR Support optional multi-language menu: Simplified Chinese,English,Italian,Traditional Chinese,Spanish,Russian,Thai,Turkish,French,Hungarian,Slovenian,Portuguese,Polish,Persian,Czech, Vietnamese,Dutch, Hebrew,Romanian,Danish,Norwegian,and custom-made language menu supported.</p>	

**\*\*\*\*\*System Confidential\*\*\*\*\***