

Code: 133-2




Golden
World
Trading
Group

www.GoldenWTG.org

经典自助餐系列



产品具体技术参数,可参考Golden样本
或致电公司销售部咨询





g-BF10 ZC
 *** (Buffet Trolley)

**[voltage]:220V/50HZ
 **[power]:1800W
 **[meas] :
 (L) 45.5" 1160mm
 (W) 26" 660mm
 (H) 35.5" 900mm



g-BF10 ND
 *** (Dish Warmer)

**[voltage]:220V/50HZ
 **[power]:230W
 **[meas] :
 (L) 45.5" 1160mm
 (W) 26" 660mm
 (H) 35.5" 900mm
 *****[CE]
 Digital temperature smart controller (CE)



g-BF10 BW
 **** (Buffet Station)

**[voltage]:220V/50HZ
 **[power]:235WX6
 **[meas] :
 (L) 93.5" 2370mm
 (W) 45.5" 1160mm
 (H) 35.5" 900mm
 *****[CE]
 Digital temperature smart controller (CE)
 ****[CE] waterproof switch (CE)




*****	valuable wood made
*****	black galaxy granite counter
*****CE**	digital temperature smart controller(CE)
*****CE**	industrial outlet(CE)
*****CE**	waterproof switch(CE)
*****40A*****CE*	overcurrent protection system(CE)
*****	high temperature resistance wire
g*****	accessories: 8 chafing dish with electric heating unit (with individual temperature smart control function)

g-BF11-BW
***** (Buffet Station)

***voltage**220V50HZ
***power**235W*8*CE**
****mcas**
118"(L)*47.2"(W)*35"(H)
3000mm(L)*1200mm(W)*850mm(H)





(1) Open style cabinet (under layer)	(8) chafing dish (electric heating)
(2) chafing dish (electric heating)	(9) food tray (electric heating)
(3) Buffet station (food warmer)	(10) induction cooker (industrial)
(4) Buffet station (cold)	(11) Granite counter (refrigerate)
(5) food tray(no heating)	(12) seafood station (cold)
(6) Open style cabinet (trapezoid)	(13) Deluxe buffet station (whole set)
(7) Buffet station (warmer and cooker)	

(14) Perfect complex from modern technology and hand crafted . Specially designed for buffet service in star hotels and luxurious banquet halls. Seems luxury ,gorgeous with high technology skills. Easy to operate , clean and replace. Durable and safety.





g-BF09-BW
*** Buffet Station

*****[CE]**
digital temperature smart controller (CE)
****[CE] waterproof switch(CE)
***** valuable wood made
***** black galaxy granite counter

***Voltage: 220 V / 50 HZ
***Power: 2330W
***Incase: 1173* xW 39" xH 37.5"
111830mm(W)1800mm(D)950mm



g-BF09-ZC
*** Buffet Station

***** Induction cooker (IH glasses unit from Germany)
*****[CE]**
digital temperature smart controller (CE)
****[CE] waterproof switch (CE)
***** valuable wood made
***** black galaxy granite counter

***Voltage: 220 V / 50 HZ
***Power: 1800Wx3 235Wx3
***Incase: 1173* xW 39" xH 37.5"
111830mm(W)1800mm(D)950mm





***** stainless steel food tray, clean and durable, quantity distributed of food tray can be customized.

g-BF09-LP
*** Buffet Station

- ***** (CE)**
- ***** digital temperature smart controller (CE)
- ***** (CE) waterproof switch (CE)
- ***** valuable wood made
- ***** black galaxy granite counter

**voltage: 220 V / 50 HZ
**power: 215Wx3
**inches: 117.3" x 19" x 110.37.5"
111850mmx1900mmx10950mm




g-BF09-BX
*** Seafood Station

- ***** professional refrigerating system
- ***** constant temperature control
- ***** (CE) waterproof switch (CE)
- ***** valuable wood made
- ***** black galaxy granite counter

**voltage: 220 V / 50 HZ
***range of temperature: -18°-4°
**power: 1100W
**inches: 117.3" x 19" x 110.37.5"
111850mmx1900mmx10950mm



*****+25°C*, *****30* ***** -18°C
temperature on the counter can be reduced to -18°C in 30 min. while work in the environment temperature of +25°C





g-SLO030
 ***** (salad Bar)
 ***(voltage):220V/50HZ
 ****(power):750W
 ***(meas):
 (L) 51" 1300mm
 (W) 51" 1300mm
 (H) 54.3" 1380mm
 ****(range of temperature) 4~-10°



g- STO031
 ***** (Salad bar)
 ***(voltage):220V/50HZ
 ****(power):1000W
 ***(meas):
 (L) 59" 1500mm
 (W) 59" 1500mm
 (H) 61.4" 1560mm
 ****(range to temperature)
 1°-10°

 granite counter, natural wood surface stainless steel shutters.
 *****CE*
 digital temperature smart controller(CE)
 14"1/3*****
 14 pieces of GN1/3 tray, big PC cover.

 up and down control by hand or induction



g-BF12-05

*****5**

Buffet Station(5 tray)

voltage220V/50HZ

*****power of heating unit**235W*3(5tray)

*****power of heating lamp**12W*3

*****size**87.4*41.5*36.2(H)

220mm*1050mm*920mm(H)

Total height67.3*(171cm)

g-BF12-06

*****6**

Buffet Station(6 tray)

voltage220V/50HZ

*****power of heating unit**235W*4(6tray)

*****power of heating lamp**12W*3

*****size**100.5*41.5*36.2(H)

250mm*1050mm*920mm(H)

Total height67.3*(171cm)

*****	valuable wood made
*****	black galaxy granite counter
*****	thermal-protection layer
*****	with water control valve
*****	four cabinet for dish
*****	uv lamp in the cabinet
*****CE**	digital temperature smart controller (CE)
*****CE**	waterproof switch(CE)
*****32A**	over current protection system(CE)
*****CE**	industrial outlet(CE)
*****	the same series items connected together available



g-SFT-7080

*****mobile carving station

voltage220V/50hz

*****power of heating lamp**275WX2

*****power of heating unit** 250W

**A(meas A):40.5"x26"x64"(H)

1030mm*660mm*1630mm(H)

**B(meas B):50.4"x26"x64"(H)

1280mm*690mm*1630mm(H)



*****1*	1 chafing dish (must beef)
**1*	1 carving board*
*****	granite counter
*****	adjustable heating lamp
*****	valuable wood made
*****CE**	digital temperature smart controller (CE)
*****CE**	industrial outlet(CE)
*****CE**	waterproof switch(CE)
*****10A)(CE**)	over current protection(CE)
*****CE**	electric heating unit(CE)



g - FT 4700
Size: 36"(L)x23.8"(W)x39"(H)
920mm(L)x600mm(W)x1000mm(H)

g - FT 5700
Size: 36"(L)x23.8"(W)x39"(H)
920mm(L)x600mm(W)x1000mm(H)

g - FT 6800
Size: 36"(L)x23.8"(W)x39"(H)
920mm(L)x600mm(W)x1000mm(H)



g - FT 0088 (Buffet Station)
 Size: 71.5"L X 39"W X 89"H
 1820mm(L) x 1000mm(W) x 1750mm(H)
 ****(power of chafing dish): 235W X 4
 ***** (power of heating lamp): 20W X 3



g FT0081
 **** * Buffet Station)

***voltage**220/50HZ
 *****power of induction cooker**1800W*2(CE)
 *****power of heating unit**230W*2*CE*
 *****power of heating lamp**275W*2
 *****mass**97**36.6**36.4**90
 2400mm*930mm*925mm(H)

*****	valuable wood made
*****	black galaxy granite counter
*****	heating lamp "anti-explosion" digital temperature smart controller (CE)
*****CE**	digital temperature smart controller (CE)
*****CE**	industrial cooker(CE)
*****CE**	waterproof switch(CE)
*****	translucent stone (aluminum)
***** *CE**	over current protection system *CE*
*****2*	2 induction cooker
*****	3H glasses and from Germany*
*****1*2	1 chafing dish (saat beef)
*****2	2 heating lamp
*****	1 carving stand





g-FT0082
*** *Buffet Station)

Voltage220V/50HZ*
 ****power of induction cooker**1800W*2*CE*
 ****mass**82.6/31*35.4*(W)*36.4*(H)
 2100mm*1900mm(W)*92.5mm(H)

****	valuable wood made
*****	black galaxy granite counter
****CE**	industrial outlet(CE)
****	translucent stone "airton"
**** *32A****	over current protection system*CE*
******2*	2 induction cooker
(*****	10 glasses and 800 Germany*



g-BWT-01
**** *Food Warmer)

***** adjustable heating lamp(anti-explosion)
 ***** high temperature resistance wire
 ***** casting steel
 ****(CE***) waterproof switch(CE)

Voltage 220V/50HZ
 power 275W
 ****mass**24*14*(W)
 610mm*360mm(W)

g-BWT-02
***** *Food Warmer)

*****(CE***) digital temperature smart controller
 (CE)
 ****(CE***) industrial outlet(CE)
 ****(CE***) waterproof switch(CE)
 ***** marble counter
 ***** high temperature resistance wire
 ****(B*) range of temperature normal to 93*

Voltage 220V/50HZ
 power 230WX2
 ****mass**31*18.7*3.54*(H)
 783mm*475mm*90mm(H)



g-BWT-03
***** *Food Warmer)

*****(CE***) digital temperature smart controller(CE)
 ****(CE***) industrial outlet(CE)
 ****(CE***) waterproof switch(CE)
 ***** marble counter
 ***** high temperature resistance wire
 ****(B*) range of temperature normal to 93*

Voltage 220V/50HZ
 power 230WX2
 ****mass**24.8*18.7*3.54*(H)
 610mm*475mm*90mm(H)





g-FT0200
***** (Buffet Station)

- *****valuable wood made
- *****black galaxy granite counter
- ****Industrial outlet(CE)
- ***** 1"1 induction cooker
- *****[IH glasses unit from Germany)
- *****1"1 chafing dish
- ****1"****1"1 carving stand 2 bin
- ****2*****2 heating lamp(anti-explosion)
- ****Voltage****220V/50HZ
- ****Heating unit****220V/50Z
- ****Induction cooker****1800W
- ****Heating lamp****27W/2"
- ****Size****64"26.7"36.4"
- ****IC2bin****980mm*920mm
- ****Total height****981370mm



g-FT0100
***** (Buffet Station)

- *****black galaxy granite counter
- *****[CE****digital temperature smart controller (CE)
- ****[CE****Industrial outlet(CE)
- *****high temperature resistance wire
- ****3*****3 chafing dish with heating unit
- *****
- (with individual temperature smart control function)
- ****3*****3 heating lamp(anti-explosion)
- ****Voltage****220V/50HZ
- ****Power of chafing dish****220W*3(CE)
- ****Power of heating lamp****27W*3(CE)
- ****Size****64"26.7"36.4"
- ****IC2bin****980mm*920mm
- ****Total height****981370mm



g-FT0300
***** (Buffet Station)

- *****valuable wood made
- *****black galaxy granite counter
- ****[CE****Industrial outlet(CE)
- *****high temperature resistance wire
- ***** 3"3 induction cooker
- *****[IH glasses unit from Germany)
- ****Voltage****220V/50HZ
- ****Power of chafing dish****1800W*3(CE)
- ****Size****64"26.7"36.4"
- ****IC2bin****980mm*920mm





g-BT887
食物煮食台(电磁炉)
Buffet Trolley(Induction Cooker)

电源(voltage):220V/50HZ
功率(power):5400W
尺寸(meas):
(L) 97" 2460mm
(W) 27.5" 700mm
(H) 35.5" 900mm



g-BT886
食物保温组合台(电控炉)
Buffet Trolley(Electric Heating)

电源(voltage):220V/50HZ
功率(power):750W
尺寸(meas):
(L) 97" 2460mm
(W) 27.5" 700mm
(H) 35.5" 900mm



g-FOA
电磁炉台(单炉)
Tabletop Induction Cooking Unit (Single Range)

电源(voltage):220V/50HZ
功率(power):1800W
尺寸(meas):
(L) 16.5" 420mm
(W) 16.5" 420mm
(H) 6.3" 160mm



g-FOB
电磁炉台(双炉)
Tabletop Induction Cooking Unit (Double Range)

电源(voltage):220V/50HZ
功率(power):3600W
尺寸(meas):
(L) 31.5" 800mm
(W) 16.5" 420mm
(H) 6.3" 160mm





g- ST8918

 Mobile Cooking Counter
 Size:1600mm(L)*830mm(W)*910mm(H)



*****CE**
Big fan with noise reduction (CE)

Many filters,with carbon for air purification, indoor used available.

Stainless steel air box ,easy to replace and clean.

Granite counter with stainless steel bumper, well-protected and easy to clean.

Heavy duty power box,600watt kinds of cooker replace available.



g- ST2923

 Mobile Cooking Counter (induction)
 ****(meas)1230mm*600mm*850mm(H)
 (***)close*
 **[overall height]*1050mm



g- ST2924

 Mobile Cooking Counter
 ****(meas)1230mm*600mm*850mm(H)
 (***)close*
 **[overall height]*1050mm



Feature:

*****CE**
ECO range hood with big fan,powerful suction.

Many filters,with carbon for air purification, indoor used available.

Stainless steel air box ,easy to replace and clean.

Different speed, smoothly ,quietly.

Small range hood, without boiler, fashion feeling.



g- FT0084
 煮餐车 配双电磁炉
 (Buffet Trolley)
 电源(voltage):220V/50HZ
 功率(power):3600W
 尺寸(meas):
 (L) 63" 1600mm
 (W) 33.5" 850mm
 (H) 35.5" 900mm





g-FT9500
 煮食车 (钢面配电磁炉)
 Flambe Trolley (Induction Cooker)

电源(voltage):220V/50HZ

功率(power):1800W

尺寸(meas):

(L) 47.5" 1200mm

(W) 25.5" 650mm

(H) 33.5" 850mm



g-FT9600
 煮食车 (花岗岩面配电磁炉)
 Flambe Trolley (Induction Cooker)

电源(voltage):220V/50HZ

功率(power):1800W

尺寸(meas):

(L) 47.5" 1200mm

(W) 25.5" 650mm

(H) 33.5" 850mm



g-FT2067
拉合煮餐车
(Flambe Trolley)

尺寸(meas):
(L) 42.5" 1080mm
(W) 24" 600mm
(H) 35.5" 890mm
气源JZ-20Y液化石油汽
Gas Burner



g-FT3019
煮餐车
(Flambe Trolley)

尺寸(meas):
(L) 45.5" 1150mm
(W) 22" 560mm
(H) 33.5" 850mm
气源JZ-20Y液化石油汽
Gas Burner

