

Code: 132-1-2



Golden  
World  
Trading  
Group

[www.GoldenWTG.org](http://www.GoldenWTG.org)

# 保温柜系列 HEAT PRESERVING CABINET SERIES



**保温柜**  
Hot counter  
DH-1P  
规格 Size:350x425x500mm  
功率 power:0.65kW  
电压 volts:220-240V  
净重 N/W:16kg

★ 恒温、保温  
Constant Temperature, Heat Preserving



**弧型玻璃保温陈列柜**  
Curved Glass Warming Showcase  
DH-2P  
规格 Size:660x500x620mm  
功率 power:1.2kW  
电压 volts:220-240V  
净重 N/W:27kg

★ 恒温、保温  
Constant Temperature, Heat Preserving



**比萨旋转保温柜**  
Pizza Warming Showcase  
DH-13  
规格 Size:500x450x770mm  
功率 power:0.85kW  
电压 volts:220-240V  
净重 N/W:27kg

★ 恒温、保温  
Constant Temperature, Heat Preserving



**抽屉式保温柜**  
Hot-drawer counter  
WL-02  
规格 Size:740x590x620 mm  
功率 Power:1 kW  
电 压 Volts:120V/50Hz  
WL-03  
规格 Size:740x590x885 mm  
功率 Power:1.5 kW  
电 压 Volts:240V/50Hz



**盘架式食品保温柜**  
Shelves Warming Showcase  
DH-14  
规格 Size:550x450x770mm  
功率 power:0.85kW  
电压 volts:220-240V  
净重 N/W:27kg

★ 恒温、保温  
Constant Temperature, Heat Preserving



**弧型保温柜** CE  
Curved Glass Warming Showcase  
R60-1  
规格 Size:900x480x590mm  
功率 power:1.84kW  
电压 volts:220-240V  
净重 N/W:50kg  
R60-2  
规格 Size:660x437x635mm  
功率 power:1.84kW  
电压 volts:220-240V  
净重 N/W:37kg  
R60-3  
规格 Size:1200x480x810mm  
功率 power:2.2kW  
电压 volts:220-240V  
净重 N/W:72kg

★ 恒温、保温、四面玻璃、造型美观。  
Constant temperature, heat preserving, glass in 4 sides, beautiful appearance

# HEAT PRESERVING CABINET SERIES 保温柜系列

★ 保温、保湿、温度均匀、两面耐温玻璃，食物一目了然。

Keep warm and humidity, even temperature, Two sides with heat-resistance glass. The progress is clear at a glance



双层陈列保温柜  
2-Layer Hot Display Showcase  
SCP-1100



保温展示柜 Hot Display Showcase  
MTWT-2x2  
MTWT-2x3



陈列保温柜 Display showcase  
DH-580  
DH-805

型号 Model	电压 volts:	规格 Size:	功率 Rated electric power:	净重 N/W:
MTWT-2x2	220-240V	700x640x730mm	0.7kW	33kg
MTWT-2x3	220-240V	1100x640x730mm	1.4kW	45kg
SCP-1100	220-240V	1075x775x773mm	2.8kW	61kg
DH-580	220-240V	640x360x530mm	1kW	21kg
DH-805	220-240V	865x360x620mm	1.5 kW	35kg



陈列保温柜 Display showcase

★ 带温度补偿系统。

DH-6P  
DH-6P-B  
DH-8P



陈列保温柜 Display showcase

★ 最高温度可达到: 75° C (按照HACCP要求, 食物必须在63° C以上保存, 才可以防止细菌滋生)

HC11KD  
HC15KD  
HC24KD

型号 Model	电压 volts:	规格 Size:	功率 Rated electric power:	净重 N/W:
DH-6P	220-240V	1500x750x860mm	3.5kW	112kg
DH-6P-B	220-240V	1200x750x860mm	2kW	94kg
DH-8P	220-240V	1500x750x840mm	1.8kW	92kg

型号 Model	电压 volts:	规格 Size:	功率 Rated electric power:
HC11KD	380V	1100x750x840mm	3.6KW
HC15KD	380V	1500x750x840mm	4.2KW
HC24KD	380V	2400x750x840mm	8kW

# 保温柜系列 HEAT PRESERVING CABINET SERIES

## 保温餐车 Food Warmer Cart

- ◆ 保温餐车全不锈钢设计，美观大方，易清洁
- ◆ 采用热风送风加热方式，温度均匀
- ◆ 具有保温功能，且温度可调
- ◆ 能延长食物保鲜及存放时间
- ◆ 容量大，功耗小
- ◆ 运送安全
- ◆ All stainless steel, good-looking and easy cleaning
- ◆ Convection heating mode with even temperature
- ◆ Keep humidity function and adjustable temperature control
- ◆ Lengthen food's fresh life
- ◆ Large capacity, low energy consumption
- ◆ Safe transportation



E-HTC-0.6  
HF-C-791FR-1



HF-C-791FR



E-HTC-0.8  
E-HTC-0.8-1  
E-HTC-1.6

型号 Model	电压 volts:	规格 Size:	功率 Rated electric power:	隔架数 Number of racks	门数量 Number of door	温度范围 Range of temperature
E-HTC-0.6	220V	730x890x1000mm	600W	6	1	+74° C~+78° C
E-HTC-0.8	220V	730x890x1840mm	800W	14	1	+74° C~+78° C
E-HTC-0.8-1	220V	730x890x1840mm	800W	14	2	+74° C~+78° C
E-HTC-1.6	220V	1500x830x1830mm	1600W	14x2	2	+74° C~+78° C
HF-C-791FR冷藏	220V	730x960x1840mm	300W	14	1	+2° C~+5° C
HF-C-791FR-1冷藏	220V	730x960x1100mm	200W	6	1	+2° C~+5° C

## 保温餐车 Food warmer cart

- ◆ 保温餐车全不锈钢设计，美观大方，易清洁
- ◆ 采用热风送风加热方式，温度均匀
- ◆ 具有保温功能，且温度可调
- ◆ 能延长食物保鲜及存放时间
- ◆ 容量大，功耗小
- ◆ 运送安全
- ◆ All stainless steel, good-looking and easy cleaning
- ◆ Convection heating mode with even temperature
- ◆ Keep humidity function and adjustable temperature control
- ◆ Lengthen food's fresh life
- ◆ Large capacity, low energy consumption
- ◆ Safe transportation



DH-11-21



DH-22-21

型号 Model	电压 volts:	规格 Size:	功率 Rated electric power:	净重 N/W
DH-11-21 (单门,1-Door)	220-240V/50Hz	796x980x1795mm	2.62 kW	182kg
DH-22-21 (双门,2-Door)	220-240V/50Hz	1540x940x1795mm	2.62 kW	320kg

# HEAT PRESERVING CABINET SERIES 保温柜系列



UHC9MB  
UHC9MBD  
UHC9GN  
UHC9GND



UHC5MB  
UHC5MBD

◆全部使用高质不锈钢制造，打磨精美。  
可以把食品保存在99° C（符合国际食品卫生条例HACCP的要求：食品需要存放在63° C以上，以防细菌滋生。特别设计的内胆热风循环，让柜内角温度接近。  
电子温度控制：控温准确。5 轮子，盘子是选配件。



型号 Model	电压 volts:	门 Door:	盆 Basin:	规格 Size:	功率 Rated electric power:
UHC9MB	240V	前后	9铝盆	750x910x1810mm	2.4kW
UHC9MBD	240V	前	9铝盆	750x910x1810mm	2.4kW
UHC9GN	240V	前后	9GN 2/1盆	750x910x1810mm	2.4kW
UHC9GND	240V	前	9GN 2/1盆	750x910x1810mm	2.4kW
UHC5MB	240V	前后	5铝盆	625x910x1070mm	2.4kW
UHC5MBD	240V	前	5铝盆	625x910x1070mm	2.4kW

- ◆采用名牌全封闭式压缩机。噪音低，耗电小。
- ◆内置风机，强制柜内冷气循环，制冷高效全面。
- ◆采用数字显示和微电脑智能控温技术，使产品工作状态及柜内温度一目了然。
- ◆采用优质不锈钢材料设计，经久耐用便于清洁；箱体、门体采用高压聚脲胺发泡成型，保温效果好。
- ◆整体精心设计，制冷速度较同类产品更加快捷。
- ◆可拆式门封条，清洗更方便。
- ◆按国际标准1/1份数盘与浸塑层架交替使用设计。



## 风冷冷藏车 Blast Banquet Cart Refrigerator

型号 Model	有效容积 Effective Volume(M <sup>3</sup> ):	温度范围 Temperature:(C°):	耗电量 Power Consumption:(KW.H/24H)	规格 Size:(mm)	功率 Rated electric power:(kW)
YC800L1W	0.3	2° C~8° C	3.02	740x830x1870mm	345kW



EB-10W



EB-6W



## 系列酒店食物热流风保温柜 Hot Air cycling Food Warmer Cabinet

型号 Model	内框尺寸 Inner size (mm)	外形尺寸 Dimension (mm)	功率 Power	电压 Voltage	净重 Weight
EB-6W	350x540x1000	580x900x1390	1.7 kW	~220V	128 kg
EB-10W	540x680x1390	790x1020x1758	2.2 kW	~220V	188 kg

# 炸炉系列 FRYING OVEN SERIES

## 台式电炸炉 Counter Top Electric Fryer

### 单缸单筛电炸炉

Electric 1-tank Fryer(1-basket) CE

型号 Model	电压 volts:	规格 Size:	功率 Rated electric power:	净重 N/W	容量 Capacity(liters)
EF-4L	220-240V	260x380x310mm	2.0KW	5kg	4
EF-6L	220-240V	320x410x285mm	2.5KW	5.5kg	6
EF-8L	220-240V	260x410x340mm	3.25kW	6kg	8
EF-11L	220-240V	320x440x335mm	3.5kW	7kg	11

### 双缸双筛电炸炉

Electric 2-tank Fryer(2-basket) CE

型号 Model	电压 volts:	规格 Size:	功率 Rated electric power:	净重 N/W	容量 Capacity(liters)
EF-4L-2	220-240V	490x390x310mm	2.0+2.0kW	9.5kg	4x2
EF-6L-2	220-240V	540x410x285mm	2.5+2.5kW	12kg	6x2
EF-8L-2	220-240V	540x420x340mm	3.25+3.25kW	14kg	8x2
EF-11L-2	220-240V	670x440x335mm	3.5+3.5kW	15kg	11x2



## 燃气炸炉 Gas Fryer



### 燃气炸炉 Gas Fryer(2-Basket)

ZH-RF-2

规格 Size:398x700x1100+35mm  
热功率 Power(BTU/hr):61605/18  
净重 N/W:53kg  
容量 Volume:27L

ZH-RF-3

规格 Size:500x700x1080mm  
热功率 Power(BTU/hr):92410/27  
净重 N/W:62kg  
容量 Volume:40L

- ◆ 超温保护装置
- ◆ 燃气炉适用于管道气、天然气、石油液化气
- ◆ 比传统炸炉节约能源20-30%



### 单缸双筛燃气炸炉 Gas Fryer

ZH-RC-1

规格 Size:430x900x850mm  
热功率 Power(BTU/hr):52888/15.5  
净重 N/W:60kg  
容量 Volume:21L

JZH-RC-1

规格 Size:360x750x850mm  
热功率 Power(BTU/hr):52888/15.5  
净重 N/W:53kg  
容量 Volume:21L

- ◆ 燃烧效率高，温度控制装置，熄火保护装置安全可靠。

## 落地式电炸炉 Freestanding Fryer



### 落地式电炸炉

Freestanding Fryer (2-basket)

DZL-28

规格 Size:400x800x1100mm  
功率 power:18kW  
电压 volts:3N-380V/50Hz  
容量 capacity:28L  
净重 N/W:60kg

- ◆ 全不锈钢，造型美观，高效能发热线，安全放油阀，超温保护装置。

All stainless steel body with heavy duty Heating element, good-locking, safe oil drain cock and over temperature protective device.



### 落地式电炸炉

Freestanding Fryer (2-basket)

EF-28L

规格 Size:400x800x1100mm  
功率 power:18kW  
电压 volts:3N-380V/50Hz  
容量 capacity:28L  
净重 N/W:60kg

EF-28L-2

规格 Size:800x800x1100mm  
功率 power:36kW  
电压 volts:3N-380V/50Hz  
容量 capacity:28Lx2  
净重 N/W:101kg

- ◆ 全不锈钢，造型美观，高效能发热线，安全放油阀，超温保护装置。

All stainless steel body with heavy duty Heating element, good-locking, safe oil drain cock and over temperature protective device.